ELSEVIER

Forensic Science International
83 (1996) 241

Forensic Science International

Author index

Volume 83 (1996)

Akutsu, H. **83**, 61
Alvarez, J.C. **83**, 167
Amice, J. **83**, 133

Baccino, E. **83**, 133
Bailet, P. **83**, 147
Barni Comparini, I. **83**, 161
Beal, S.M. **83**, 105
Betz, P. **83**, 73
Bourne, A.J. **83**, 105
Brennan, J.S. **83**, 121
Budowle, B. **83**, 27, 229
Byard, R.W. **83**, 105

Centini, F. **83**, 161
Chiba, S. **83**, 87
Contiero, E. **83**, 191
Coquoz, R. **83**, 79

Daenens, P. **83**, 67
De Saint Martin, L. **83**, 133
Dirnhofer, R. **83**, 27

Esumi, M. **83**, 87

Fierro, M.F. **83**, 111
Fischer, G. **83**, 95
Folin, M. **83**, 191
Fridez, F. **83**, 79
Fronty, P. **83**, 147
Fukita, K. **83**, 219
Fukushima, T. **83**, 61

Gehrig, C. **83**, 27
Grévin, G. **83**, 147
Guilloteau, P. **83**, 133

Haid, C. **83**, 39
Hochmeister, M.N. **83**, 27, 75

Ishizu, H. **83**, 81

Kambara, H. **83**, 87
Kernbach-Wighton, G. **83**, 95
Keys, K.M. **83**, 229
Kidwell, D.A. **83**, 179
Kitao, T. **83**, 81
Kobayashi, Y. **83**, 219
Krismer, M. **83**, 39
Kuhlencord, A. **83**, 95
Kunsman, G. **83**, 31

Latorra, D. **83**, 15
Le Rhun, M. **83**, 133
Leglise, D. **83**, 133
Levine, B. **83**, 31
Liesenfeld, O. **83**, 1
Lorente, J.A. **83**, 167
Lorente, M. **83**, 167

Maeda, H. **83**, 211
Maeda, H. **83**, 219
Mannaert, E. **83**, 67
Marumo, Y. **83**, 201
Masti, A. **83**, 161
Miyaishi, S. **83**, 81
Moore, K.A. **83**, 111
Moretti, T.R. **83**, 229
Morin, J.F. **83**, 133
Mozayani, A. **83**, 111

Nagai, K. **83**, 211

Okano, K. **83**, 87
Ollier, A. **83**, 147
O'Neal, C.L. **83**, 31
Oritani, S. **83**, 211
Oshida, S. **83**, 87

Pearse, M.L. **83**, 121
Phillips, V.M. **83**, 51
Poklis, A. **83**, 31
Poklis, A. **83**, 111

Quatrehomme, G. **83**, 147

Rabl, W. **83**, 39
Reynolds, R. **83**, 27
Roßbach, K. **83**, 95
Rothschild, M.A. **83**, 1

Sakata, M. **83**, 61
Sakurai, M. **83**, 219
Santos, S.M.M. **83**, 229
Sapanet, M. **83**, 147
Sasaki, M. **83**, 61
Schanfield, M.S. **83**, 15
Schuliar, Y. **83**, 133
Shimizu, K. **83**, 61
Shiono, H. **83**, 61
Smerick, J.B. **83**, 229
Smith, F.P. **83**, 179
Smuts, N.A. **83**, 51
Sugita, R. **83**, 201
Sweet, D. **83**, 167

Tytgat, J. **83**, 67

Valenzuela, A. **83**, 167

Wolf II, C.E. **83**, 31

Yamamoto, Y. **83**, 81

Zhu, B.-L. **83**, 211, 219

ELSEVIER

Forensic Science International
83 (1996) 243–246

Forensic Science International

Subject index

Volume 83 (1996)

Absolute humidity; ESDA, Relative humidity, Indented impressions, Pressure patterns **83**, 121

Accidental asphyxia; Mesh-sided cots, Sudden death, Infancy **83**, 105

Allele ladder (AL); Amplified fragment length polymorphism (AFLP), Polymerase chain reaction (PCR), Apolipoprotein B (APOB), Phenylalanine hydroxylase (PAH) **83**, 15

Amplified fragment length polymorphism (AFLP); Polymerase chain reaction (PCR), Apolipoprotein B (APOB), Phenylalanine hydroxylase (PAH), Allele ladder (AL) **83**, 15

Apolipoprotein B (APOB); Amplified fragment length polymorphism (AFLP), Polymerase chain reaction (PCR), Phenylalanine hydroxylase (PAH), Allele ladder (AL) **83**, 15

Asphyxia; Forensic pathology, Pulmonary surfactant, Immunohistochemistry, Perinatal death **83**, 219

Autopsy; Suspended bone-dust; Airborne infection; Oscillating saw with spray-tube, Prophylaxis against infections **83**, 95

B. cereus; Gas and warning firearms, Blank cartridges, Blank shots, Wound infection **83**, 1

Biomechanical properties; Human tibia, Dynamic load test, Fracture morphology **83**, 39

Blank cartridges; Gas and warning firearms, Blank shots, Wound infection, *B. cereus* **83**, 1

Blank shots; Gas and warning firearms, Blank cartridges, Wound infection, *B. cereus* **83**, 1

Blood; Forensic toxicology, Carboxyhemoglobin, CO-oximeter, Thermo-coagulation **83**, 211

Carboxyhemoglobin; Forensic toxicology, CO-oximeter, Blood, Thermo-coagulation **83**, 211

Children; Cocaine, Hair analysis, Saliva, Passive exposure, Drug testing **83**, 179

Cocaine; Hair analysis, Saliva, Passive exposure, Drug testing, Children **83**, 179

Color measurement; Soil, Forensic soil identification, Euclidean distance **83**, 201

CO-oximeter; Forensic toxicology, Carboxyhemoglobin, Blood, Thermo-coagulation **83**, 211

Crime scene; Time of death, Temperature, Outer ear, Rectum **83**, 133

Cyclopyrrolones; Zopiclone, Drowning, Radioimmunoassay **83**, 67

D1S80; VNTR, Paternity testing, Internal marker, Fluorescence image analyzer (dualcolour system) **83**, 87

Dichlorvos; Fatal poisoning, Gas chromatography, Tissue distribution **83**, 61

DNA extraction; Human bite marks, Forensic DNA, Salivary evidence, Human saliva **83**, 167

Drowning; Zopiclone, Cyclopyrrolones, Radioimmunoassay **83**, 67

Drug testing; Cocaine, Hair analysis, Saliva, Passive exposure, Children **83**, 179

Dynamic load test; Human tibia, Biomechanical properties, Fracture morphology **83**, 39

EIA; Skin, Tissue fragment, SCC antigen **83**, 81

ESDA; Relative humidity, Absolute humidity, Indented impressions, Pressure patterns **83**, 121

Euclidean distance; Soil, Color measurement, Forensic soil identification **83**, 201

Facial reconstruction; Forensic anthropology **83**, 51

Fatal poisoning; 3,4-Methylenedioxymethamphetamine (MDMA), 3,4-Methylenedioxyamphetamine (MDA), Stereoisomers **83**, 111

Fatal poisoning; Dichlorvos, Gas chromatography, Tissue distribution **83**, 61

Fluorescence image analyzer (dualcolour system); D1S80, VNTR, Paternity testing, Internal marker **83**, 87

Forensic anthropology; Facial reconstruction **83**, 51

Forensic anthropology; Forensic medicine, Human identification, Frontal sinus, Skull radiology, Skeleton **83**, 147

Forensic DNA; DNA extraction, Human bite marks, Salivary evidence, Human saliva **83**, 167

Forensic medicine; Forensic anthropology, Human identification, Frontal sinus, Skull radiology, Skeleton **83**, 147

Forensic pathology; Pulmonary surfactant, Immunohistochemistry, Perinatal death, Asphyxia **83**, 219

Forensic soil identification; Soil, Color measurement, Euclidean distance **83**, 201

Forensic toxicology; Carboxyhemoglobin, CO-oximeter, Blood, Thermo-coagulation **83**, 211

Fracture morphology; Human tibia, Biomechanical properties, Dynamic load test **83**, 39

Frontal sinus; Forensic medicine, Forensic anthropology, Human identification, Skull radiology, Skeleton **83**, 147

Gas and warning firearms; Blank cartridges, Blank shots, Wound infection, *B. cereus* **83**, 1

Gas chromatography; Dichlorvos, Fatal poisoning, Tissue distribution **83**, 61

Hair analysis; Cocaine, Saliva, Passive exposure, Drug testing, Children **83**, 179

Hair keratin; Non-human primates, Sodium dodecylsulfate-polyacrylamide gel electrophoresis, Isoelectric focusing **83**, 191

Hardy-Weinberg expectations; Portugal, Population databases, STR, Linkage equilibrium, PCR **83**, 229

Hardy-Weinberg expectations; Swiss, Population databases, PCR, HLA-DQA1, Subtypes **83**, 27

HD-GC/MS technique; MDMA, MDEA, Metamphetamine and amphetamine analysis, SPME (solid phase microextraction) **83**, 161

HLA-DQA1; Swiss, Population databases, PCR, Hardy-Weinberg expectations, Subtypes **83**, 27

Human bite marks; DNA extraction, Forensic DNA, Salivary evidence, Human saliva **83**, 167

Human identification; Forensic medicine, Forensic anthropology, Frontal sinus, Skull radiology, Skeleton **83**, 147

Human saliva; DNA extraction, Human bite marks, Forensic DNA, Salivary evidence **83**, 167

Human tibia; Biomechanical properties, Dynamic load test, Fracture morphology **83**, 39

Immunohistochemistry; Forensic pathology, Pulmonary surfactant, Perinatal death, Asphyxia **83**, 219

Indented impressions; ESDA, Relative humidity, Absolute humidity, Pressure patterns **83**, 121

Infancy; Accidental asphyxia, Mesh-sided cots, Sudden death **83**, 105

Internal marker; D1S80, VNTR, Paternity testing, Fluorescence image analyzer (dualcolour system) **83**, 87

Isoelectric focusing; Hair keratin, Non-human primates, Sodium dodecylsulfate-polyacrylamide gel electrophoresis **83**, 191

Linkage equilibrium; Portugal, Population databases, STR, Hardy-Weinberg expectations, PCR **83**, 229

MDEA; MDMA, Metamphetamine and amphetamine analysis, SPME (solid phase microextraction), HD-GC/MS technique **83**, 161

MDMA; MDEA, Metamphetamine and amphetamine analysis, SPME (solid phase microextraction), HD-GC/MS technique **83**, 161

Mesh-sided cots; Accidental asphyxia, Sudden death, Infancy **83**, 105

Metamphetamine and amphetamine analysis; MDMA, MDEA, SPME (solid phase microextraction), HD-GC/MS technique **83**, 161

3,4-Methylenedioxyamphetamine (MDA); 3,4-Methylenedioxymethamphetamine (MDMA), Fatal poisoning, Stereoisomers **83**, 111

3,4-Methylenedioxymethamphetamine (MDMA); 3,4-Methylenedioxyamphetamine (MDA), Fatal poisoning, Stereoisomers **83**, 111

Non-human primates; Hair keratin, Sodium dodecylsulfate-polyacrylamide gel electrophoresis, Isoelectric focusing **83**, 191

Outer ear; Time of death, Temperature, Rectum, Crime scene **83**, 133

Passive exposure; Cocaine, Hair analysis, Saliva, Drug testing, Children **83**, 179

Paternity testing; D1S80, VNTR, Internal marker, Fluorescence image analyzer (dualcolour system) **83**, 87

PCR; Portugal, Population databases, STR, Hardy-Weinberg expectations, Linkage equilibrium **83**, 229

PCR; Swiss, Population databases, Hardy-Weinberg expectations, HLA-DQA1, Subtypes **83**, 27

Perinatal death; Forensic pathology, Pulmonary surfactant, Immunohistochemistry, Asphyxia **83**, 219

Phenylalanine hydroxylase (PAH); Amplified fragment length polymorphism (AFLP), Polymerase chain reaction (PCR), Apolipoprotein B (APOB), Allele ladder (AL) **83**, 15

Polymerase chain reaction (PCR); Amplified fragment length polymorphism (AFLP), Apolipoprotein B (APOB), Phenylalanine hydroxylase (PAH), Allele ladder (AL) **83**, 15

Population databases; Portugal, STR, Hardy-Weinberg expectations, Linkage equilibrium, PCR **83**, 229

Population databases; Swiss, PCR, Hardy-Weinberg expectations, HLA-DQA1, Subtypes **83**, 27

Portugal; Population databases, STR, Hardy-Weinberg expectations, Linkage equilibrium, PCR **83**, 229

Pressure patterns; ESDA, Relative humidity, Absolute humidity, Indented impressions **83**, 121

Prophylaxis against infections; Autopsy, Suspended bone-dust; Airborne infection; Oscillating saw with spray-tube **83**, 95

Pulmonary surfactant; Forensic pathology, Immunohistochemistry, Perinatal death, Asphyxia **83**, 219

Radioimmunoassay; Zopiclone, Cyclopyrrolones, Drowning **83**, 67

Rectum; Time of death, Temperature, Outer ear, Crime scene **83**, 133

Relative humidity; ESDA, Absolute humidity, Indented impressions, Pressure patterns **83**, 121

Saliva; Cocaine, Hair analysis, Passive exposure, Drug testing, Children **83**, 179

Salivary evidence; DNA extraction, Human bite marks, Forensic DNA, Human saliva **83**, 167

SCC antigen; Skin, Tissue fragment, EIA **83**, 81

Skeleton; Forensic medicine, Forensic anthropology, Human identification, Frontal sinus, Skull radiology **83**, 147

Skin; Tissue fragment, SCC antigen, EIA **83**, 81

Skull radiology; Forensic medicine, Forensic anthropology, Human identification, Frontal sinus, Skeleton **83**, 147

Sodium dodecylsulfate-polyacrylamide gel electrophoresis; Hair keratin, Non-human primates, Isoelectric focusing **83**, 191

Soil; Color measurement, Forensic soil identification, Euclidean distance **83**, 201

SPME (solid phase microextraction); MDMA, MDEA, Metamphetamine and amphetamine analysis, HD-GC/MS technique **83**, 161

Stereoisomers; 3,4-Methylenedioxymethamphetamine (MDMA), 3,4-Methylenedioxyamphetamine (MDA), Fatal poisoning **83**, 111

STR; Portugal, Population databases, Hardy-Weinberg expectations, Linkage equilibrium, PCR **83**, 229

Subtypes; Swiss, Population databases, PCR, Hardy-Weinberg expectations, HLA-DQA1 **83**, 27

Sudden death; Accidental asphyxia, Mesh-sided cots, Infancy **83**, 105

Suspended bone-dust; Autopsy, Airborne infection; Oscillating saw with spray-tube; Prophylaxis against infections **83**, 95

Swiss; Population databases, PCR, Hardy-Weinberg expectations, HLA-DQA1, Subtypes **83**, 27

Temperature; Time of death, Outer ear, Rectum, Crime scene **83**, 133

Thermo-coagulation; Forensic toxicology, Carboxyhemoglobin, CO-oximeter, Blood **83**, 211

Time of death; Temperature, Outer ear, Rectum, Crime scene **83**, 133

Tissue distribution; Dichlorvos, Fatal poisoning, Gas chromatography **83**, 61

Tissue fragment; Skin, SCC antigen, EIA **83**, 81

VNTR; D1S80, Paternity testing, Internal marker, Fluorescence image analyzer (dualcolour system) **83**, 87

Wound infection; Gas and warning firearms, Blank cartridges, Blank shots, *B. cereus* **83**, 1

Zopiclone; Cyclopyrrolones, Drowning, Radioimmunoassay **83**, 67